






HY2146-14


BY HOAU BROTHER



HY2146-14




HY2146-23




HY2146-22



HY2146-21




HY2146-19




HY2146-20



HY2146-18



HY2146-17



HY2146-13




HY2146-16



HY2146-15



HY2146-12



HY2146-09



HY2146-10



HY2146-11



HY2146-01




HY2146-07




HY2146-03




HY2146-08



HY2146-06



HY2146-04




HY2146-02



HY2146-05




HY2146-25



HY2146-27



HY2146-24



HY2146-26



HY2146-28



技术检测 (Tec.)	检测标准 (TS.)	项目 (Unit.)		测试结果 (Test Result)	
耐水色牢度 (CFTW.)	AATCC107:2002 GB/T5713-1997	污染-Srain	褪色-Fading	Grade	4
		污染-Srain	褪色-Fading	等级	4
耐汗色牢度 (CFTP.)	AATCC15:2002 GB/T3922-1997	污染-Srain	褪色-Fading	Grade	4
		污染-Srain	褪色-Fading	等级	4
耐洗色牢度 (CFTW.)	ISO 105-C03:1989 GB/T3921.3-1997	污染-Srain	褪色-Fading	Grade	4
		污染-Srain	褪色-Fading	等级	4
干湿摩擦色牢度 (CFTR.)	AATCC8:2002 GB/T3920-1997	干-Dry	湿-Wet	Grade	4
		干-Dry	湿-Wet	等级	4
抗摩擦坚牢度 (Ab.Re)	ASTM D4966-98 Martindale 12Kpa			rubs	50000转

colour 28

材质(Comp):100%涤纶(PL)

克重(Weight):270gsm

幅宽(Width):160cm

备注:我司面料未含阻燃,阻燃需外加工.



Company Information

Contact		
	(Phone)	0757-23870666 23636258
	(Fax)	0757-23875234 23873536
	(E-mail)	xiaowensu@hoaubrother.com
	(Web)	www.hoaubrother.com
	(Add)	顺德•龙江 精美路18号世博汇A座4楼(华宇总部) 亚洲国际A区一排29-32号(华宇旗舰店) No. 29-32, A area, Asia international materials city, Long Jiang, Shunde, Foshan, Guangdong, China, Post Code 528318



扫描二维码, 关注华宇兄弟

• 产品数据为真实检测数据 •